

Omnibus October 2018 - 7783
WEIGHTED DATA - C&C

October 2018

Page ----	Table -----	Title -----	Base ----	Total -----
1	1	Q50: Should a person have the legal right to put in writing in advance that they want their caregiver and medical team to stop medical treatments when they are at a specific stage of dementia?		1098
2	2	Q51: Should a person have the legal right to put in writing in advance that they want their caregiver and medical team to stop spoon feeding of foods and liquids when they are at a specific stage of dementia?		1098
3	3	Q52: Should a person have the legal right to put in writing in advance that they want their caregiver and medical team to stop foods and liquids by feeding tube when they are at a specific stage of dementia?		1098
4	4	Q53: Which of the following 2 scenarios comes closer to your view?		1098
6	5	Q54A: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated? I don't recognize loved ones.		1098
7	6	Q54B: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated? I can't carry on clear conversations.		1098
8	7	Q54C: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated? I can't feed myself.		1098
9	8	Q54D: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated? I can't use the toilet myself.		1098
10	9	Q54E: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated? I can't participate meaningfully in activities I used to enjoy, like reading, talking with friends, praying, or watching TV.		1098

Omnibus October 2018 - 7783
WEIGHTED DATA - C&C

October 2018

Page ----	Table -----	Title -----	Base ----	Total -----
11	10	Q54F: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated? I live in a nursing home full time.		1098
12	11	Q54G: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated? I am violent and a danger to myself or those around me.		1098
13	12	Q54H: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated? I can't remember who I am.		1098
14	13	Q54I: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated? I have no awareness of people or memories.		1098
15	14	Q54J: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated? I am afraid and anxious a lot of the time.		1098
16	15	Q54: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated? 'Make sure I get the best available medical treatments to keep me alive while I have dementia' Summary Table		1098
18	16	Q54: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated? 'Keep me comfortable so that I don't suffer' Summary Table		1098
20	17	Q54: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated? 'Look for ways to shorten the time I live with dementia' Summary Table		1098
22	18	Q55: Which of the following treatments would you be comfortable with your caregivers refusing or stopping in order to shorten the time you live with dementia?		1098

Omnibus October 2018 - 7783
WEIGHTED DATA - C&C

October 2018

Page ----	Table -----	Title -----	Base -----	Total -----
24	19	Survey Interview Language		1098
25	20	Survey interview mode (online or phone)		1098
26	21	DEVICE: Device		1098
27	22	GENDER: Gender		1098
28	23	AGE4 - 4 Categories		1098
29	24	AGE7 - 7 Categories		1098
30	25	RACETHNICITY: Combined Race/Ethnicity		1098
31	26	EDUC: Education (Highest Degree Received)		1098
33	27	EDUC4: 4-level education		1098
34	28	MARITAL: Marital Status		1098
35	29	EMPLOY: Current Employment Status		1098
36	30	INCOME: Household Income		1098
38	31	REGION4: 4-level region		1098
39	32	REGION9: 9-level region		1098
40	33	METRO: Metropolitan area flag		1098
41	34	INTERNET: HH internet access via dial-up, DSL, or cable broadband at home		1098
42	35	HOUSING: Home Ownership		1098
43	36	HOME_TYPE: Type of building of panelists' residence		1098
44	37	PHONESERVICE: Telephone service for the household		1098
45	38	Household size (including children)		1098
46	39	Number of HH members age 0-1		1098
47	40	Number of HH members age 2-5		1098
48	41	Number of HH members age 6-12		1098
49	42	Number of HH members age 13-17		1098

Omnibus October 2018 - 7783
WEIGHTED DATA - C&C

October 2018

Page ----	Table -----	Title -----	Base ----	Total -----
50	43	Number of HH members age 18+		1098

Omnibus October 2018 - 7783
WEIGHTED DATA - C&C

Table 1

Q50: Should a person have the legal right to put in writing in advance that they want their caregiver and medical team to stop medical treatments when they are at a specific stage of dementia?

	EDUCATION																			
	AGE				GENDER				EDUCATION				RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- \$60K	\$60K- \$100K	\$100K+	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235	
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241	
Yes	1005	196	249	266	293	464	541	104	285	285	331	638	118	167	83	271	266	239	229	
	92% ^b F _q	85%	90%	96% ^{ABC}	93% ^b	87%	95% ^{AF}	89%	91%	92%	93%	92%	90%	93%	90%	89%	88%	97% ^{APQ}	95% ^{apQ}	
No	77	28	21	8	20	55	22	12	26	20	20	49	12	9	7	25	32	8	13	
	7% ^D G _r	12% ^D	8% ^d	3%	6%	10% ^{AG}	4%	10%	8%	6%	6%	7%	9%	5%	8%	8%	10% ^a R	3%	5%	
DON'T KNOW	*	-	-	*	-	-	*	-	-	*	-	*	-	-	-	*	-	-	-	
	*	-	-	*	-	-	*	-	-	*	-	*	-	-	-	*	-	-	-	
SKIPPED ON WEB	15	6	5	3	1	11	4	-	3	5	7	10	1	3	2	9	6	*	-	
	1% ^e	3%	2%	1%	*	2%	1%	-	1%	2%	2%	1%	*	1%	2%	3% ^s	2%	*	-	
REFUSED	1	-	-	-	1	1	-	1	-	-	-	-	-	-	1	1	-	-	-	
	*	-	-	-	*	*	-	1%	-	-	-	-	-	-	1%	*	-	-	-	
SIGMA	1098	230	276	278	314	530	568	116	314	311	357	697	131	178	92	306	303	247	241	
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 2

Q51: Should a person have the legal right to put in writing in advance that they want their caregiver and medical team to stop spoon feeding of foods and liquids when they are at a specific stage of dementia?

	----- EDUCATION -----																			RACE/ETHNICITY				HH INCOME			
	AGE				GENDER		HS				Some				White, NH	Black, NH	His- panic	Other/ 2+,NH	\$30K-		\$60K-						
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	Grad/ Equiv	Collge /AA	BA+																
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	(S)								
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235								
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241								
Yes	885 81%MP	173 75%	221 80%	234 84%	258 82%	423 80%	462 81%	96 83%	238 76%	247 80%	303 85% Ai	568 82% M	92 70%	150 84% m	76 82%	220 72%	241 80%	220 89% APQ	203 84% P								
No	194 18%KR	51 22%	52 19%	38 14%	52 17%	94 18%	100 18%	17 15%	75 24% aK	57 18% k	44 12%	120 17%	35 27% Aln	26 15%	13 14%	75 25% ARS	57 19% r	26 11%	36 15%								
DON'T KNOW	2 *	-	-	1 *	1 *	1 *	1 *	1 1%	-	* *	1 *	* *	1 1% al	-	-	2 1%	-	-	-								
SKIPPED ON WEB	16 1%	7 3%	2 1%	5 2%	2 1%	11 2%	5 1%	-	1 *	6 2%	9 3% i	9 1%	1 *	3 1%	4 4%	7 2%	5 2%	1 *	2 1%								
REFUSED	2 *	-	-	-	2 1%	2 *	* *	2 1%	-	* *	-	* *	2 1% aL	-	-	2 1%	* *	-	-								
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%								

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 3

Q52: Should a person have the legal right to put in writing in advance that they want their caregiver and medical team to stop foods and liquids by feeding tube when they are at a specific stage of dementia?

	EDUCATION																			RACE/ETHNICITY				HH INCOME			
	AGE				GENDER		EDUCATION				RACE/ETHNICITY				HH INCOME												
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- \$60K	<\$100K	\$100K+								
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)									
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235								
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241								
Yes	919 84%Mp	183 80%	232 84%	236 85%	267 85%	452 85%	467 82%	95 82%	251 80%	259 83%	314 88%Ai	599 86%AM	91 69%	154 86%M	75 81%	241 79%	242 80%	219 88%Pq	217 90%APQ								
No	152 14%KLS	40 17%	39 14%	36 13%	37 12%	61 12%	91 16%	18 15%	55 18%K	45 14%k	34 10%	82 12%	36 28%ALN	22 12%	12 13%	51 17%S	51 17%S	28 11%	22 9%								
DON'T KNOW	4 *	- -	- -	1 *	4 1%a	4 1%	1 *	4 3%	- -	- -	1 *	- -	3 2%AL	- -	1 1%L	4 1%a	- -	- -	- -								
SKIPPED ON WEB	23 2%r	7 3%	5 2%	5 2%	7 2%	13 3%	10 2%	- -	8 3%	6 2%	9 2%	16 2%	1 *	3 1%	4 4%	10 3%r	11 3%r	* *	2 1%								
REFUSED	* *	- -	- -	- -	* *	- -	* *	- -	- -	* *	- -	* *	- -	- -	- -	- -	* *	- -	- -								
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%								

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 4

Q53: Which of the following 2 scenarios comes closer to your view?

	EDUCATION																		
	AGE				GENDER		EDUCATION					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
Thinking about dementia: A person should have the legal right to put in writing in advance that they would like their caregivers and medical team to stop medical treatments food and liquids that keep that person alive. It's wrong to force somebody to live for years in a condition they	882 80%MP	175 76%	222 81%	234 84%	251 80%	426 80%	456 80%	88 75%	241 77%	259 83%a	295 83%	573 82%aM	89 68%	151 85%M	69 75%	218 71%	236 78%	221 89%APQ	207 86%aPq
Thinking about dementia: A person should not have the power to force their caregivers to stop medical treatments that keep them alive or starve them to death. It's just basic care to provide medical treatment, including food and water. It doesn't matter whether the patient is	184 17%JLR	48 21%	48 17%	38 14%	51 16%	92 17%	92 16%	27 23%	60 19%	42 13%	55 15%	101 15%	40 31%ALN	21 12%	21 23%	76 25%ARS	55 18%R	21 9%	31 13%
DON'T KNOW	8 1%	-	-	1 *	7 2%AC	2 *	6 1%	1 1%	7 2%k	1 *	-	7 1%	1 1%	-	-	4 1%	5 2%	-	-

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 4

Q53: Which of the following 2 scenarios comes closer to your view?

	----- EDUCATION -----																		
	AGE				GENDER		RACE/ETHNICITY					HH INCOME							
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
SKIPPED ON WEB	24 2%	8 3%	6 2%	5 2%	6 2%	10 2%	13 2%	1 1%	7 2%	10 3%	6 2%	15 2%	1 *	6 3%	2 2%	8 3%	7 2%	5 2%	3 1%
REFUSED	* *	- -	- -	- -	* *	- -	* *	- -	- -	* *	- -	* *	- -	- -	- -	- -	* *	- -	- -
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 5

Q54A: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated?

I don't recognize loved ones.

	EDUCATION																		
	AGE				GENDER		EDUCATION					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	\$30K- <\$30K	\$60K- <\$60K	\$100K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
Make sure I get the best available medical treatments to keep me alive while I have dementia.	225 20%efL	49 21%	74 27%AdE	51 18%	51 16%	92 17%	133 23%af	15 13%	69 22%	72 23%a	68 19%	114 16%	54 41%ALN	31 17%	26 28%l	72 24%r	64 21%	36 15%	53 22%
Keep me comfortable so that I don't suffer.	580 53%	112 49%	133 48%	152 55%	183 58%ac	267 50%	314 55%	59 50%	155 49%	166 53%	201 56%	392 56%Amo	58 44%	91 51%	39 42%	151 49%	150 50%	146 59%	133 55%
Look for ways to shorten the time I live with dementia.	266 24%GJM	63 28%	60 22%	67 24%	75 24%	153 29%AG	113 20%	40 35%	83 26%	65 21%	78 22%	177 25%M	12 9%	53 30%M	23 25%M	68 22%	83 27%	62 25%	52 22%
DON'T KNOW	3 *	-	-	1 *	2 1%	1 *	2 *	* *	-	2 1%A	-	2 *	1 1%	-	-	1 *	1 *	-	* *
SKIPPED ON WEB	25 2%G	5 2%	9 3%	7 2%	3 1%	19 4%ag	6 1%	2 1%	6 2%	6 2%	11 3%	11 2%	7 5%l	3 1%	4 4%	13 4%a	5 2%	2 1%	4 1%
REFUSED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 6

Q54B: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated?

I can't carry on clear conversations.

	EDUCATION																		
	AGE				GENDER		EDUCATION					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
Make sure I get the best available medical treatments to keep me alive while I have dementia.	240 22% eFL R	52 23%	71 26% e	62 22%	55 17%	95 18%	144 25% AF	12 11%	84 27%	74 24%	70 20%	133 19%	61 47% ALN O	28 16%	18 19%	86 28% AR	62 20% r	31 13%	60 25% R
Keep me comfortable so that I don't suffer.	638 58% MP	125 54%	150 54%	173 62%	190 60%	321 61%	317 56%	72 62%	170 54%	179 58%	217 61%	416 60% M	52 40%	111 62% M	59 64% M	152 50%	170 56%	173 70% APQ	142 59% S
Look for ways to shorten the time I live with dementia.	193 18% m	47 20%	45 16%	38 14%	62 20%	91 17%	101 18%	30 26%	54 17%	51 16%	57 16%	132 19% m	13 10%	37 21% m	11 12%	54 18%	63 21%	41 17%	35 15%
DON'T KNOW	3 *	-	-	-	3 1% a	2 *	1 *	2 1%	-	1 *	-	1 *	-	-	1 1%	2 *	1 *	-	-
SKIPPED ON WEB	25 2% G	5 2%	9 3%	5 2%	5 2%	21 4% AG	4 1%	* *	6 2%	6 2%	13 4%	14 2%	5 4%	3 2%	4 4%	12 4%	7 2%	3 1%	4 2%
REFUSED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 7

Q54C: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated?

I can't feed myself.

	EDUCATION																		
	AGE				GENDER			RACE/ETHNICITY					HH INCOME						
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
Make sure I get the best available medical treatments to keep me alive while I have dementia.	202 18%eLR	51 22%	57 21%	49 18%	46 15%	84 16%	119 21%	11 10%	72 23%	55 18%	64 18%	104 15%	53 41%ALN	28 16%	17 19%	77 25%ARs	58 19%	29 12%	38 16%
Keep me comfortable so that I don't suffer.	488 44%Fp	97 42%	125 45%	119 43%	146 46%	208 39%	280 49%AF	60 52%	137 44%	142 46%	149 42%	308 44%	58 44%	86 48%	35 38%	116 38%	139 46%	128 52%aP	106 44%
Look for ways to shorten the time I live with dementia.	376 34%GM	77 33%	84 31%	104 37%	111 35%	211 40%AG	165 29%	44 38%	94 30%	107 34%	131 37%	266 38%AM	14 11%	61 34%M	35 38%M	98 32%	99 33%	87 35%	91 38%
DON'T KNOW	6 1%j	-	-	-	6 2%AcD	6 1%g	-	1 1%	5 2%	* *	-	6 1%	-	-	1 1%	3 1%	-	-	3 1%
SKIPPED ON WEB	26 2%G	5 2%	10 4%	5 2%	5 2%	21 4%AG	4 1%	-	6 2%	6 2%	13 4%	13 2%	5 4%	3 2%	4 4%	12 4%	8 3%	3 1%	4 1%
REFUSED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 8

Q54D: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated?

I can't use the toilet myself.

	EDUCATION																		
	AGE				GENDER			RACE/ETHNICITY					HH INCOME						
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
Make sure I get the best available medical treatments to keep me alive while I have dementia.	210 19% kL	54 23%	61 22%	44 16%	51 16%	86 16%	124 22% a	19 16%	76 24% k	60 19%	55 16%	106 15%	54 42% ALN O	28 16%	21 23%	74 24% ar	58 19%	37 15%	41 17%
Keep me comfortable so that I don't suffer.	462 42% JP	85 37%	113 41%	113 41%	150 48% A	204 39%	257 45%	48 41%	121 39%	119 38%	174 49% AiJ	306 44%	50 39%	73 41%	33 35%	97 32%	132 43% P	110 45% P	123 51% AP
Look for ways to shorten the time I live with dementia.	392 36% GMs	83 36%	92 33%	113 41%	104 33%	212 40% aG	180 32%	43 37%	108 35%	124 40% A	117 33%	269 39% AM	16 12%	74 42% M	34 36% M	115 38%	109 36%	97 39%	71 30%
DON'T KNOW	5 *	-	-	1 *	5 1% A	5 1%	1 *	3 3%	2 1%	* *	-	3 *	1 1%	-	1 1%	5 2% a	-	-	* *
SKIPPED ON WEB	27 2% eG	8 3%	10 4% e	6 2%	3 1%	22 4% AG	6 1%	2 1%	6 2%	8 3%	11 3%	14 2%	7 5%	3 2%	4 4%	13 4%	6 2%	2 1%	6 2%
REFUSED	2 *	-	-	-	2 1%	2 *	-	2 1%	-	-	-	-	2 1% aL	-	-	2 1%	-	-	-
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 9

Q54E: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated?

I can't participate meaningfully in activities I used to enjoy, like reading, talking with friends, praying, or watching TV.

	EDUCATION																		
	AGE				GENDER		EDUCATION					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	\$30K- <\$30K	\$60K- <\$60K	\$100K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
Make sure I get the best available medical treatments to keep me alive while I have dementia.	188 17% _{fL}	41 18%	57 21% _e	46 17%	44 14%	74 14%	114 20% _{af}	20 17%	51 16%	62 20% _a	56 16%	96 14%	53 41% _{ALN}	26 14%	13 14%	64 21%	59 20%	32 13%	34 14%
Keep me comfortable so that I don't suffer.	579 53% _P	101 44%	140 51%	162 58% _b	177 56% _b	267 50%	313 55%	52 45%	162 52%	160 52%	205 57% _a	376 54%	57 44%	103 57%	43 47%	132 43%	153 50%	140 57% _P	154 64% _{APQ}
Look for ways to shorten the time I live with dementia.	295 27% _{GMS}	83 36% _{acd}	65 23%	63 23%	84 27%	163 31% _{ag}	132 23%	40 35%	87 28%	83 27%	86 24%	208 30% _{AM}	13 10%	47 27% _M	27 29% _M	88 29%	85 28%	73 29%	50 21%
DON'T KNOW	7 1% _{gj}	-	-	1 *	6 2% _{Ac}	6 1%	1 *	4 3%	3 1%	* *	-	4 1%	2 2%	-	1 1%	6 2% _a	1 *	-	* *
SKIPPED ON WEB	28 3% _{egl}	5 2%	14 5% _{AE}	6 2%	3 1%	19 4%	9 2%	-	12 4%	6 2%	11 3%	12 2%	5 4%	3 1%	8 9% _{ALn}	16 5% _{Ars}	6 2%	2 1%	4 1%
REFUSED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 10

Q54F: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated?

I live in a nursing home full time.

	EDUCATION																		
	AGE				GENDER		RACE/ETHNICITY					HH INCOME							
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
Make sure I get the best available medical treatments to keep me alive while I have dementia.	249 23%EL	52 23%	78 28%AE	69 25%E	49 16%	116 22%	133 23%	14 12%	62 20%	81 26%A	92 26%	136 20%	47 36%AL	43 24%	22 24%	74 24%	72 24%	42 17%	61 25%
Keep me comfortable so that I don't suffer.	552 50%j	116 50%	135 49%	134 48%	168 53%	250 47%	302 53%	59 51%	166 53%	145 47%	182 51%	366 52%o	66 51%	85 48%	35 38%	137 45%	144 47%	134 54%	137 57%aP
Look for ways to shorten the time I live with dementia.	266 24%kMS	56 24%	57 21%	70 25%	83 27%	142 27%	124 22%	38 33%	80 25%	75 24%	73 20%	175 25%M	15 11%	47 26%M	29 31%M	78 25%S	81 27%S	67 27%S	40 17%
DON'T KNOW	7 1%G	-	-	-	7 2%AcD	6 1%g	*	4 3%	2 1%	1 *	-	3 *	2 1%	-	2 2%	6 2%aq	-	-	1 *
SKIPPED ON WEB	24 2%	7 3%	6 2%	5 2%	6 2%	16 3%	8 1%	-	4 1%	8 3%	11 3%	16 2%	1 *	3 2%	4 4%	11 4%	7 2%	4 1%	2 1%
REFUSED	1 *	-	-	-	1 *	-	1 *	-	-	1 * a	-	1 *	-	-	-	-	1 *	-	-
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 11

Q54G: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated?

I am violent and a danger to myself or those around me.

	EDUCATION																		
	AGE				GENDER		RACE/ETHNICITY					HH INCOME							
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
Make sure I get the best available medical treatments to keep me alive while I have dementia.	157 14% RS	39 17%	44 16%	39 14%	34 11%	82 15%	75 13%	19 16%	64 20% AK	47 15% K	27 8%	72 10%	42 32% ALN	27 15%	15 16%	74 24% AQR	42 14%	19 8%	22 9%
Keep me comfortable so that I don't suffer.	365 33% J	64 28%	113 41% AbE	96 35%	92 29%	161 30%	205 36%	42 36%	103 33%	92 30%	129 36%	231 33%	55 42% n	49 27%	30 33%	86 28%	88 29%	89 36%	102 42% APQ
Look for ways to shorten the time I live with dementia.	542 49% CMp	120 52%	113 41%	137 49%	173 55% aC	264 50%	279 49%	53 45%	141 45%	160 52%	189 53%	371 53% AM	31 23%	99 56% M	42 45% M	129 42%	164 54% P	136 55% p	114 47%
DON'T KNOW	9 1%	-	-	1 *	8 2% AC	6 1%	2 *	3 3%	3 1%	3 1%	-	4 1%	3 2%	-	2 2%	7 2% a	1 *	-	1 *
SKIPPED ON WEB	25 2% g	7 3%	6 2%	5 2%	8 2%	18 3%	8 1%	-	4 1%	8 3%	13 4%	18 3%	1 *	3 2%	4 4%	11 4%	9 3%	3 1%	3 1%
REFUSED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 12

Q54H: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated?

I can't remember who I am.

	EDUCATION																			
	AGE				GENDER		EDUCATION					RACE/ETHNICITY				HH INCOME				
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	\$30K- <\$30K	\$60K- <\$60K	\$100K- <\$100K	\$100K+	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235	
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241	
Make sure I get the best available medical treatments to keep me alive while I have dementia.	161 15%LR	38 16%	52 19%ae	35 13%	37 12%	69 13%	93 16%	17 14%	50 16%	49 16%	46 13%	64 9%	56 43%ALN O	23 13%	19 21%L	67 22%aQR s	39 13%	21 9%	34 14%	
Keep me comfortable so that I don't suffer.	502 46%p	87 38%	119 43%	139 50%b	157 50%b	225 42%	278 49%	42 36%	154 49%	141 46%	165 46%	334 48%o	58 44%	78 44%	32 34%	119 39%	141 46%	122 49%	121 50%p	
Look for ways to shorten the time I live with dementia.	404 37%gM	99 43%	99 36%	98 35%	108 34%	215 41%ag	188 33%	54 47%	104 33%	111 36%	135 38%	280 40%AM	13 10%	74 42%M	36 39%M	102 33%	117 39%	101 41%	83 34%	
DON'T KNOW	7 1%	-	-	1 *	6 2%Ac	5 1%	1 *	3 3%	2 1%	2 1%	-	2 *	3 2%	-	2 2%	6 2%aq	-	-	1 *	
SKIPPED ON WEB	24 2%	7 3%	6 2%	5 2%	6 2%	16 3%	8 1%	-	4 1%	8 3%	11 3%	16 2%	1 *	3 2%	4 4%	11 4%	7 2%	3 1%	3 1%	
REFUSED	* *	-	-	-	* *	* *	-	* *	-	-	-	* *	-	-	-	* *	-	-	-	-
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 13

Q54I: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated?

I have no awareness of people or memories.

	EDUCATION																			
	AGE				GENDER		EDUCATION					RACE/ETHNICITY				HH INCOME				
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235	
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241	
Make sure I get the best available medical treatments to keep me alive while I have dementia.	160 15%eLR	30 13%	53 19%AE	41 15%	35 11%	77 15%	83 15%	10 9%	62 20%ak	45 15%	43 12%	73 10%	47 36%ALN	22 12%	18 19%	64 21%AR	44 14%r	19 8%	34 14%	
Keep me comfortable so that I don't suffer.	434 40%FP	80 35%	107 39%	112 40%	135 43%	182 34%	252 44%AF	42 36%	117 37%	127 41%	147 41%	280 40%	55 42%	72 41%	26 29%	93 30%	128 42%P	102 41%p	110 46%aP	
Look for ways to shorten the time I live with dementia.	469 43%GM	113 49%	106 38%	118 43%	131 42%	250 47%aG	219 39%	61 53%	124 39%	128 41%	156 44%	325 47%AM	25 19%	81 45%M	38 42%M	127 42%	125 41%	123 50% s	94 39%	
DON'T KNOW	7 1%	-	-	1 *	6 2%Ac	5 1%	2 *	3 3%	3 1%	2 1%	-	3 *	3 2%	-	2 2%	6 2%aq	-	1 *	1 *	
SKIPPED ON WEB	28 3%	7 3%	10 4%	5 2%	6 2%	16 3%	12 2%	-	9 3%	8 3%	11 3%	16 2%	1 *	3 2%	8 9%ALMn	15 5%as	7 2%	3 1%	3 1%	
REFUSED	* *	-	-	-	* *	* *	-	* *	-	-	-	* *	-	-	-	* *	-	-	-	-
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Omnibus October 2018 - 7783
WEIGHTED DATA - C&C

Table 14

Q54J: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated?

I am afraid and anxious a lot of the time.

	EDUCATION																			
	AGE				GENDER		EDUCATION					RACE/ETHNICITY				HH INCOME				
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235	
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241	
Make sure I get the best available medical treatments to keep me alive while I have dementia.	173 16%ELr	38 16%	57 21%AE	45 16%	34 11%	87 16%	86 15%	13 11%	63 20%	50 16%	48 14%	88 13%	45 34%ALN	23 13%	17 19%	56 18%r	53 17%	25 10%	39 16%	
Keep me comfortable so that I don't suffer.	483 44%	89 39%	112 41%	135 49%	147 47%	220 41%	264 46%	56 48%	132 42%	138 45%	157 44%	300 43%	66 51%	77 43%	40 44%	127 41%	130 43%	113 46%	114 47%	
Look for ways to shorten the time I live with dementia.	410 37%M	97 42%	101 37%	93 33%	120 38%	200 38%	210 37%	44 38%	113 36%	114 37%	139 39%	288 41%AM	18 14%	76 43%M	29 32%M	107 35%	113 37%	106 43%	85 35%	
DON'T KNOW	6 1%g	-	-	-	6 2%Ac	5 1%	* *	3 3%	2 1%	1 *	-	2 *	2 1%	-	2 2%	5 2%a	-	-	1 *	
SKIPPED ON WEB	25 2%g	7 3%	6 2%	5 2%	8 2%	18 3%	8 1%	-	4 1%	8 3%	13 4%	18 3%	1 *	3 2%	4 4%	11 4%	9 3%	3 1%	3 1%	
REFUSED	* *	-	-	-	* *	* *	-	* *	-	-	-	* *	-	-	-	* *	-	-	-	-
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Omnibus October 2018 - 7783
WEIGHTED DATA - C&C

Table 15

Q54: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated?

'Make sure I get the best available medical treatments to keep me alive while I have dementia' Summary Table

	EDUCATION																			
	AGE					GENDER		HS					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235	
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241	
I don't recognize loved ones.	225 20% r	49 21%	74 27%	51 18%	51 16%	92 17%	133 23%	15 13%	69 22%	72 23%	68 19%	114 16%	54 41%	31 17%	26 28%	72 24%	64 21%	36 15%	53 22%	
I can't carry on clear conversations.	240 22% R	52 23%	71 26%	62 22%	55 17%	95 18%	144 25%	12 11%	84 27%	74 24%	70 20%	133 19%	61 47%	28 16%	18 19%	86 28%	62 20%	31 13%	60 25%	
I can't feed myself.	202 18% LR	51 22%	57 21%	49 18%	46 15%	84 16%	119 21%	11 10%	72 23%	55 18%	64 18%	104 15%	53 41%	28 16%	17 19%	77 25%	58 19%	29 12%	38 16%	
I can't use the toilet myself.	210 19% kL	54 23%	61 22%	44 16%	51 16%	86 16%	124 22%	19 16%	76 24%	60 19%	55 16%	106 15%	54 42%	28 16%	21 23%	74 24%	58 19%	37 15%	41 17%	
I can't participate meaningfully in activities I used to enjoy, like reading, talking with friends, praying, or watching TV.	188 17% fL	41 18%	57 21%	46 17%	44 14%	74 14%	114 20%	20 17%	51 16%	62 20%	56 16%	96 14%	53 41%	26 14%	13 14%	64 21%	59 20%	32 13%	34 14%	
I live in a nursing home full time.	249 23% EL	52 23%	78 28%	69 25%	49 16%	116 22%	133 23%	14 12%	62 20%	81 26%	92 26%	136 20%	47 36%	43 24%	22 24%	74 24%	72 24%	42 17%	61 25%	
I am violent and a danger to myself or those around me.	157 14% eKL RS	39 17%	44 16%	39 14%	34 11%	82 15%	75 13%	19 16%	64 20%	47 15%	27 8%	72 10%	42 32%	27 15%	15 16%	74 24%	42 14%	19 8%	22 9%	
I can't remember who I am.	161 15% LR	38 16%	52 19%	35 13%	37 12%	69 13%	93 16%	17 14%	50 16%	49 16%	46 13%	64 9%	56 43%	23 13%	19 21%	67 22%	39 13%	21 9%	34 14%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 15

Q54: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated?

'Make sure I get the best available medical treatments to keep me alive while I have dementia' Summary Table

	AGE				GENDER		EDUCATION				RACE/ETHNICITY				HH INCOME				
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
I have no awareness of people or memories.	160 15%eLR	30 13%	53 19%AE	41 15%	35 11%	77 15%	83 15%	10 9%	62 20%ak	45 15%	43 12%	73 10%	47 36%ALN	22 12%	18 19%	64 21%AR	44 14%r	19 8%	34 14%
I am afraid and anxious a lot of the time.	173 16%ELr	38 16%	57 21%AE	45 16%	34 11%	87 16%	86 15%	13 11%	63 20%	50 16%	48 14%	88 13%	45 34%ALN	23 13%	17 19%	56 18%r	53 17%	25 10%	39 16%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 16

Q54: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated?

'Keep me comfortable so that I don't suffer' Summary Table

	EDUCATION																		
	AGE				GENDER			HS					RACE/ETHNICITY				HH INCOME		
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
I don't recognize loved ones.	580 53%	112 49%	133 48%	152 55%	183 58%ac	267 50%	314 55%	59 50%	155 49%	166 53%	201 56%	392 56%Amo	58 44%	91 51%	39 42%	151 49%	150 50%	146 59%	133 55%
I can't carry on clear conversations.	638 58%MP	125 54%	150 54%	173 62%	190 60%	321 61%	317 56%	72 62%	170 54%	179 58%	217 61%	416 60%M	52 40%	111 62%M	59 64%M	152 50%	170 56%	173 70%APQ	142 59%
I can't feed myself.	488 44%Fp	97 42%	125 45%	119 43%	146 46%	208 39%	280 49%AF	60 52%	137 44%	142 46%	149 42%	308 44%	58 44%	86 48%	35 38%	116 38%	139 46%	128 52%aP	106 44%
I can't use the toilet myself.	462 42%JP	85 37%	113 41%	113 41%	150 48%A	204 39%	257 45%	48 41%	121 39%	119 38%	174 49%AiJ	306 44%	50 39%	73 41%	33 35%	97 32%	132 43%P	110 45%P	123 51%AP
I can't participate meaningfully in activities I used to enjoy, like reading, talking with friends, praying, or watching TV.	579 53%P	101 44%	140 51%	162 58%b	177 56%b	267 50%	313 55%	52 45%	162 52%	160 52%	205 57%a	376 54%	57 44%	103 57%	43 47%	132 43%	153 50%	140 57%P	154 64%APQ
I live in a nursing home full time.	552 50%j	116 50%	135 49%	134 48%	168 53%	250 47%	302 53%	59 51%	166 53%	145 47%	182 51%	366 52%o	66 51%	85 48%	35 38%	137 45%	144 47%	134 54%	137 57%aP
I am violent and a danger to myself or those around me.	365 33%J	64 28%	113 41%AbE	96 35%	92 29%	161 30%	205 36%	42 36%	103 33%	92 30%	129 36%	231 33%	55 42%n	49 27%	30 33%	86 28%	88 29%	89 36%	102 42%APQ
I can't remember who I am.	502 46%p	87 38%	119 43%	139 50%b	157 50%b	225 42%	278 49%	42 36%	154 49%	141 46%	165 46%	334 48%o	58 44%	78 44%	32 34%	119 39%	141 46%	122 49%	121 50%p
I have no awareness of people or memories.	434 40%FP	80 35%	107 39%	112 40%	135 43%	182 34%	252 44%AF	42 36%	117 37%	127 41%	147 41%	280 40%	55 42%	72 41%	26 29%	93 30%	128 42%P	102 41%p	110 46%aP

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 16

Q54: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated?

'Keep me comfortable so that I don't suffer' Summary Table

	AGE				GENDER		EDUCATION				RACE/ETHNICITY				HH INCOME				
	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
I am afraid and anxious a lot of the time.	483 44%	89 39%	112 41%	135 49%	147 47%	220 41%	264 46%	56 48%	132 42%	138 45%	157 44%	300 43%	66 51%	77 43%	40 44%	127 41%	130 43%	113 46%	114 47%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Omnibus October 2018 - 7783
WEIGHTED DATA - C&C

Table 17

Q54: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated?

'Look for ways to shorten the time I live with dementia' Summary Table

	EDUCATION																		
	AGE				GENDER		HS					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
I don't recognize loved ones.	266 24%GJM	63 28%	60 22%	67 24%	75 24%	153 29%AG	113 20%	40 35%	83 26%	65 21%	78 22%	177 25%M	12 9%	53 30%M	23 25%M	68 22%	83 27%	62 25%	52 22%
I can't carry on clear conversations.	193 18%m	47 20%	45 16%	38 14%	62 20%	91 17%	101 18%	30 26%	54 17%	51 16%	57 16%	132 19%m	13 10%	37 21%m	11 12%	54 18%	63 21%	41 17%	35 15%
I can't feed myself.	376 34%GM	77 33%	84 31%	104 37%	111 35%	211 40%AG	165 29%	44 38%	94 30%	107 34%	131 37%	266 38%AM	14 11%	61 34%M	35 38%M	98 32%	99 33%	87 35%	91 38%
I can't use the toilet myself.	392 36%GMS	83 36%	92 33%	113 41%	104 33%	212 40%aG	180 32%	43 37%	108 35%	124 40%A	117 33%	269 39%AM	16 12%	74 42%M	34 36%M	115 38%	109 36%	97 39%	71 30%
I can't participate meaningfully in activities I used to enjoy, like reading, talking with friends, praying, or watching TV.	295 27%GMS	83 36%acd	65 23%	63 23%	84 27%	163 31%ag	132 23%	40 35%	87 28%	83 27%	86 24%	208 30%AM	13 10%	47 27%M	27 29%M	88 29%	85 28%	73 29%	50 21%
I live in a nursing home full time.	266 24%kMS	56 24%	57 21%	70 25%	83 27%	142 27%	124 22%	38 33%	80 25%	75 24%	73 20%	175 25%M	15 11%	47 26%M	29 31%M	78 25% _s	81 27% _S	67 27% _s	40 17%
I am violent and a danger to myself or those around me.	542 49%CMP	120 52%	113 41%	137 49%	173 55%aC	264 50%	279 49%	53 45%	141 45%	160 52%	189 53%	371 53%AM	31 23%	99 56%M	42 45%M	129 42%	164 54%P	136 55%p	114 47%
I can't remember who I am.	404 37%gM	99 43%	99 36%	98 35%	108 34%	215 41%ag	188 33%	54 47%	104 33%	111 36%	135 38%	280 40%AM	13 10%	74 42%M	36 39%M	102 33%	117 39%	101 41%	83 34%
I have no awareness of people or memories.	469 43%GM	113 49%	106 38%	118 43%	131 42%	250 47%aG	219 39%	61 53%	124 39%	128 41%	156 44%	325 47%AM	25 19%	81 45%M	38 42%M	127 42%	125 41%	123 50% _s	94 39%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 17

Q54: For each of the following symptoms of dementia, which of the 3 statements comes closest to how you'd like to be treated?

'Look for ways to shorten the time I live with dementia' Summary Table

	AGE				GENDER		EDUCATION				RACE/ETHNICITY				HH INCOME				
	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+	
	(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
I am afraid and anxious a lot of the time.	410 37%M	97 42%	101 37%	93 33%	120 38%	200 38%	210 37%	44 38%	113 36%	114 37%	139 39%	288 41%AM	18 14%	76 43%M	29 32%M	107 35%	113 37%	106 43%	85 35%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Omnibus October 2018 - 7783
WEIGHTED DATA - C&C

Table 18

Q55: Which of the following treatments would you be comfortable with your caregivers refusing or stopping in order to shorten the time you live with dementia?

	EDUCATION																		
	AGE				GENDER			EDUCATION					RACE/ETHNICITY				HH INCOME		
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
Pacemaker or other device to control heart rhythm	519 47%M	95 41%	119 43%	121 44%	183 58% ABC D	257 49%	262 46%	49 42%	151 48%	150 48%	169 47%	353 51% AM	42 32%	84 47% m	40 44%	139 45%	133 44%	131 53%	116 48%
Penicillin and other antibiotics	354 32% CDM	61 26%	71 26%	63 23%	159 51% ABC D	167 31%	188 33%	42 36%	103 33%	107 34%	102 29%	252 36% AM	25 19%	51 29%	26 28%	94 31%	96 32%	86 35%	79 33%
Kidney dialysis	486 44% biM p	79 34%	120 44%	116 42%	171 54% ABC D	236 45%	250 44%	47 41%	115 37%	147 47% i	177 49% AI	348 50% AM	26 20%	78 43% M	34 37% m	116 38%	128 42%	128 52% aP	114 47%
Chemotherapy	584 53% IMP	104 45%	143 52%	148 53%	189 60% AB	280 53%	304 54%	48 41%	137 44%	166 54% i	233 65% AIJ	411 59% AMo	36 27%	97 54% M	40 43%	128 42%	152 50%	151 61% aPq	153 63% APQ
Surgery	597 54% CMP	119 52%	131 48%	155 56%	191 61% AC	294 56%	302 53%	51 44%	160 51%	166 53%	220 62% Aij	422 61% AMo	43 33%	91 51% M	42 45%	147 48%	159 53%	148 60% p	143 59% p
Insulin for diabetes	365 33% bdM	54 23%	91 33%	75 27%	145 46% ABC D	171 32%	194 34%	47 41%	95 30%	106 34%	116 33%	248 36% aM	22 17%	65 37% M	29 32% m	89 29%	102 34%	92 37%	82 34%
Heart and blood pressure medicines	415 38% BM	57 25%	99 36% b	95 34%	164 52% ABC D	204 38%	211 37%	46 39%	127 40%	120 39%	122 34%	286 41% AM	28 22%	62 35%	38 41% M	101 33%	121 40%	91 37%	102 42%
Any medical interventions, treatments, and medications except comfort care	513 47% Mp	89 39%	126 46%	120 43%	177 56% ABC D	243 46%	270 48%	46 39%	144 46%	161 52% A	162 45%	348 50% AM	41 31%	75 42%	50 54% M	124 40%	148 49%	130 53% p	111 46%
Spoon feeding, if you showed no interest in food or water	469 43% BMP	72 31%	114 41%	120 43% b	163 52% ABC	238 45%	231 41%	46 39%	129 41%	136 44%	159 44%	340 49% AMn	27 21%	64 36% m	39 42% M	106 35%	135 45% p	119 48% P	109 45% p
Tube feeding if you were not able to swallow on your own	521 47% BMP	79 34%	122 44%	145 52% B	175 56% ABC	269 51%	252 44%	44 38%	131 42%	154 49%	192 54% AI	380 55% AMn	29 22%	76 42% M	36 39% m	111 36%	146 48% P	123 50% P	141 59% APq

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 18

Q55: Which of the following treatments would you be comfortable with your caregivers refusing or stopping in order to shorten the time you live with dementia?

	EDUCATION																		
	AGE				GENDER		EDUCATION					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
You would not want any of these treatments stopped	201 18% eJK LS	50 22%	53 19%	52 19%	45 14%	97 18%	104 18%	41 35%	74 24% JK	46 15%	39 11%	108 16%	39 30% ALO	43 24% l	11 12%	71 23% S	56 18% S	53 22% S	21 9%
DON'T KNOW	7 1% l	-	1 *	6 2% Ae	1 *	1 *	6 1%	1 *	6 2% k	1 *	-	2 *	5 4% ALn	-	-	6 2% a	1 *	1 *	-
SKIPPED ON WEB	39 4% E	11 5%	15 5% E	8 3%	5 2%	21 4%	18 3%	2 2%	4 1%	16 5% Ai	16 5%	23 3%	5 4%	5 3%	6 6% r	18 6% r	8 3%	4 1%	10 4%
REFUSED	2 *	-	-	-	2 1%	2 *	-	2 2%	-	-	-	* *	2 1% al	-	-	2 1%	-	-	-
SIGMA	5072 462%	870 378%	1205 437%	1226 442%	1771 563%	2479 468%	2592 457%	512 441%	1376 438%	1476 475%	1707 478%	3521 505%	370 283%	790 443%	391 424%	1252 409%	1385 456%	1255 508%	1180 489%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 19

Survey Interview Language

	EDUCATION																		
	AGE				GENDER		RACE/ETHNICITY					HH INCOME							
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
English	1098	230	276	278	314	530	568	116	314	311	357	697	131	178	92	306	303	247	241
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%
Spanish	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SIGMA	1098	230	276	278	314	530	568	116	314	311	357	697	131	178	92	306	303	247	241
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 20

Survey interview mode (online or phone)

	AGE				GENDER		EDUCATION				RACE/ETHNICITY				HH INCOME				
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
Phone interview	122	8	3	38	73	54	68	18	59	30	14	58	30	19	15	62	40	6	14
	11%BCKL RS	3%	1%	14%BC	23%ABC D	10%	12%	15%	19%AJK	10%K	4%	8%	23%ALn	11%	16%	20%ARS	13%RS	2%	6%
Web Interview	976	223	272	240	241	476	499	98	255	280	343	639	100	159	77	244	264	241	227
	89%EIM P	97%ADE	99%ADE	86%E	77%	90%	88%	85%	81%	90%I	96%AIJ	92%AM	77%	89% m	84%	80%	87%	98%APQ	94%APQ
SIGMA	1098	230	276	278	314	530	568	116	314	311	357	697	131	178	92	306	303	247	241
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 21

DEVICE: Device

	EDUCATION																		
	AGE				GENDER			HS				RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
Desktop	425	77	81	107	159	242	183	25	100	122	178	295	25	55	50	85	114	104	121
	39% MP	CGi 34%	29%	39% c	51% ABC D	46% AG	32%	22%	32%	39%	50% AIJ	42% AMn	19%	31%	54% AMN	28%	38% p	42% P	50% APQ
Phone interview (not online)	122	8	3	38	73	54	68	18	59	30	14	58	30	19	15	62	40	6	14
	11% RS	BCKL 3%	1%	14% BC	23% ABC D	10%	12%	15%	19% AJK	10% K	4%	8%	23% ALn	11%	16%	20% ARS	13% RS	2%	6%
Smartphone	490	142	181	109	57	217	272	68	143	144	134	295	73	96	26	153	129	117	91
	45% s	EKO 62% ADE	66% ADE	39% E	18%	41%	48% a	59%	46%	46% k	38%	42% o	56% aLO	54% lO	28%	50% S	42%	47%	38%
Tablet	62	3	10	24	25	17	44	5	12	15	30	49	2	9	2	6	21	20	15
	6% FmP	1%	4%	8% aBc	8% aBc	3%	8% AF	4%	4%	5%	8% Ai	7% Am	1%	5%	3%	2%	7% P	8% P	6% p
SIGMA	1098	230	276	278	314	530	568	116	314	311	357	697	131	178	92	306	303	247	241
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 22

GENDER: Gender

	EDUCATION																		
	AGE				GENDER		EDUCATION					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
Male	530	116	137	132	145	530	-	61	133	139	197	357	48	69	56	131	129	129	140
	48%Gjm	50%	50%	48%	46%	100%AG	-	53%	42%	45%	55%AIJ	51%AMn	37%	39%	61%Mn	43%	43%	52%	58%APQ
Female	568	114	139	145	169	-	568	55	181	172	160	340	83	109	36	175	174	118	101
	52%FKL	50%	50%	52%	54%	-	100%AF	47%	58%K	55%aK	45%	49%	63%aLO	61%lO	39%	57%S	57%aS	48%	42%
SIGMA	1098	230	276	278	314	530	568	116	314	311	357	697	131	178	92	306	303	247	241
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 23

AGE4 - 4 Categories

	EDUCATION																		
	AGE				GENDER		EDUCATION					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
18-29	230	230	-	-	-	116	114	53	52	68	57	117	32	61	20	90	60	50	30
	21%CD EKLS	100%ACDE	-	-	-	22%	20%	46%	17%	22%k	16%	17%	25%	34%AL	22%	30%Aqr S	20%	20%	13%
30-44	276	-	276	-	-	137	139	20	63	81	111	155	42	40	38	63	81	62	70
	25%BDEL	-	100%ABDE	-	-	26%	24%	17%	20%	26%	31%AI	22%	32%l	22%	42%ALN	20%	27%	25%	29%p
45-59	278	-	-	278	-	132	145	23	79	78	98	168	33	55	22	67	70	65	75
	25%BCE	-	-	100%ABCE	-	25%	26%	20%	25%	25%	28%	24%	25%	31%	23%	22%	23%	26%	31%ap
60+	314	-	-	-	314	145	169	20	120	84	91	256	23	22	12	86	93	71	65
	29%BCDM NO	-	-	-	100%ABC D	27%	30%	17%	38%AJK	27%	26%	37%AMN O	18%	12%	13%	28%	31%	29%	27%
SIGMA	1098	230	276	278	314	530	568	116	314	311	357	697	131	178	92	306	303	247	241
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 24

AGE7 - 7 Categories

	----- EDUCATION -----																			RACE/ETHNICITY				HH INCOME			
	AGE				GENDER		No HS	HS	Some					White,	Black,	His-	Other/	\$30K-		\$60K-							
	TOTAL	18-29	30-44	45-59	60+	Male	Female	Diplom	Grad/ Equiv	Collge /AA	BA+	NH	NH	panic	2+,NH	<\$30K	<\$60K	<\$100K	\$100K+								
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)									
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235								
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241								
18-24	129	129	-	-	-	69	60	45	29	38	18	66	18	39	5	65	23	30	11								
	12% KLQS	56% ACDE	-	-	-	13%	11%	39%	9%	12% K	5%	9%	14%	22% ALO	6%	21% AQR	7%	12% S	5%								
25-34	207	101	106	-	-	98	109	16	50	61	80	107	31	43	26	47	75	42	43								
	19% DEL	44% ADE	38% ADE	-	-	19%	19%	13%	16%	20%	22% a	15%	24% l	24% l	29% L	15%	25% AP	17%	18%								
35-44	170	-	170	-	-	86	84	12	37	50	70	99	25	19	27	41	42	39	47								
	15% BDE	-	62% ABDE	-	-	16%	15%	11%	12%	16%	20% Ai	14%	19%	11%	29% ALN	13%	14%	16%	19%								
45-54	185	-	-	185	-	92	93	22	49	47	67	103	19	46	17	44	46	45	50								
	17% BCEl	-	-	67% ABCE	-	17%	16%	19%	16%	15%	19%	15%	14%	26% AL	18%	14%	15%	18%	21%								
55-64	183	-	-	93	90	72	111	5	76	52	49	130	21	24	8	47	43	44	49								
	17% BCf	-	-	33% ABC	29% ABC	14%	19% af	5%	24% AjK	17%	14%	19% a	16%	13%	9%	15%	14%	18%	20%								
65-74	150	-	-	-	150	73	78	9	51	43	47	127	9	7	7	42	45	39	24								
	14% BCDN	-	-	-	48% ABC	14% D	14%	7%	16%	14%	13%	18% AMN	7%	4%	8%	14%	15%	16%	10%								
75+	74	-	-	-	74	41	33	7	22	20	25	65	7	1	2	20	29	7	18								
	7% BCDN	-	-	-	24% ABCD	8%	6%	6%	7%	6%	7%	9% AN	5% n	*	2%	7%	10% R	3%	7%								
SIGMA	1098	230	276	278	314	530	568	116	314	311	357	697	131	178	92	306	303	247	241								
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%								

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 25

RACETHNICITY: Combined Race/Ethnicity

	EDUCATION																		
	AGE				GENDER			HS					RACE/ETHNICITY				HH INCOME		
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	Hispanic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
White, non-Hispanic	697	117	155	168	256	357	340	53	206	196	242	697	-	-	-	146	200	166	185
	63%BCg	51%	56%	61%	82%ABC	67%ag	60%	46%	66%	63%	68%a	100%AMNO	-	-	-	48%	66%P	67%P	77%APQR
	MNOP				D														
Black, non-Hispanic	131	32	42	33	23	48	83	20	49	39	23	-	131	-	-	75	27	23	6
	12%EfK	14%	15%E	12%	7%	9%	15%af	17%	16%K	13%K	6%	-	100%ALNO	-	-	24%AQRS	9%S	9%S	3%
	LNOS																		
Other, non-Hispanic	21	3	7	3	8	10	11	2	11	5	2	-	-	-	21	11	1	5	3
	2%kLq	1%	2%	1%	2%	2%	2%	2%	4%k	2%	1%	-	-	-	22%ALMN	4%q	*	2%	1%
Hispanic	178	61	40	55	22	69	109	40	40	51	48	-	-	178	-	66	50	44	19
	16%EfL	27%ACE	14%E	20%E	7%	13%	19%Af	34%	13%	16%	13%	-	-	100%ALMO	-	22%aS	16%S	18%S	8%
	MOS																		
2+, non-Hispanic	32	5	12	13	3	19	13	1	8	17	5	-	-	-	32	6	15	5	7
	3%EkL	2%	4%E	5%E	1%	4%	2%	1%	3%	6%AK	1%	-	-	-	35%ALMN	2%	5%a	2%	3%
Asian, non-Hispanic	40	12	20	6	2	28	12	-	-	2	37	-	-	-	40	3	10	5	22
	4%EGIJ	5%E	7%ADE	2%	1%	5%ag	2%	-	-	1%	10%AIJ	-	-	-	43%ALMN	1%	3%	2%	9%APQR
	LP																		
SIGMA	1098	230	276	278	314	530	568	116	314	311	357	697	131	178	92	306	303	247	241
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Omnibus October 2018 - 7783
WEIGHTED DATA - C&C

Table 26

EDUC: Education (Highest Degree Received)

	EDUCATION																			
	AGE					GENDER		EDUCATION					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235	
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241	
No formal education	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1st, 2nd, 3rd, or 4th grade	1*	-	-	-	1*	1*	-	1%	-	-	-	-	-	-	1%1	1*	-	-	-	
5th or 6th grade	2*	-	2%	-	-	-	2*	2%	-	-	-	2*	-	-	-	-	2%	-	-	
7th or 8th grade	2*	-	-	1*	1*	2*	-	2%	-	-	-	1*	-	1%	-	2%	-	-	-	
9th grade	8%	-	3%	3%	2%	3%	5%	8%	-	-	-	4%	*	4%	-	7%	2%	-	-	
10th grade	20%	12%	2%	2%	4%	3%	17%	20%	-	-	-	4%	3%	13%	1%	20%	-	-	-	
11th grade	31%	17%	7%	3%	4%	19%	12%	31%	-	-	-	14%	7%	10%	1%	10%	*	18%	3%	
12th grade NO DIPLOMA	52%	23%	6%	14%	9%	33%	19%	52%	-	-	-	28%	10%	13%	1%	18%	12%	22%	-	
HIGH SCHOOL GRADUATE - high school DIPLOMA or the equivalent (GED)	314%	52%	63%	79%	120%	133%	181%	-	314%	-	-	206%	49%	40%	19%	129%	100%	56%	29%	
Some college, no degree	206%	39%	52%	59%	55%	89%	117%	-	-	206%	-	134%	24%	31%	16%	58%	66%	43%	39%	
Associate degree	105%	29%	29%	18%	28%	50%	54%	-	-	105%	-	62%	15%	20%	9%	23%	39%	20%	24%	
Bachelors degree	214%	39%	70%	65%	38%	106%	107%	-	-	-	214%	140%	16%	38%	19%	33%	56%	57%	68%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 26

EDUC: Education (Highest Degree Received)

	EDUCATION																		
	AGE				GENDER			EDUCATION				RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
Masters degree	105	11	33	22	38	63	42	-	-	-	105	71	6	7	21	4	19	24	57
	10%gI	5%Jn	12%b	8%	12%b	12%ag	7%	-	-	-	29%AIJ	10%n	4%	4%	23%ALMN	1%	6%P	10%P	24%APQR
Professional or Doctorate degree	39	6	7	11	14	28	11	-	-	-	39	30	1	3	4	2	8	7	22
	4%GIJP	3%	3%	4%	5%	5%aG	2%	-	-	-	11%AIJ	4%	1%	2%	5%	1%	3%	3%	9%APQR
SIGMA	1098	230	276	278	314	530	568	116	314	311	357	697	131	178	92	306	303	247	241
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 27

EDUC4: 4-level education

	EDUCATION																		
	AGE				GENDER			EDUCATION				RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- \$60K	\$60K- \$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
No HS diploma	116	53	20	23	20	61	55	116	-	-	-	53	20	40	3	57	15	40	3
	11% JKLQS	23% ACDE	7% 7%	8% 8%	6% 6%	12% 12%	10% 10%	100% 100%	-	-	-	8% 8%	15% 15%	22% 22%	4% 4%	19% 19%	5% 5%	16% 16%	1% 1%
HS graduate or equivalent	314	52	63	79	120	133	181	-	314	-	-	206	49	40	19	129	100	56	29
	29% K	23% CfJ	23% 23%	28% 28%	38% 38%	25% 25%	32% 32%	-	100% 100%	-	-	30% 30%	37% 37%	22% 22%	21% 21%	42% 42%	33% 33%	23% 23%	12% 12%
Some college	311	68	81	78	84	139	172	-	-	311	-	196	39	51	25	81	105	63	63
	28% IK	30% 30%	29% 29%	28% 28%	27% 27%	26% 26%	30% 30%	-	-	100% 100%	-	28% 28%	30% 30%	29% 29%	27% 27%	26% 26%	35% 35%	25% 25%	26% 26%
BA or above	357	57	111	98	91	197	160	-	-	-	357	242	23	48	45	39	83	89	147
	33% MPq	25% GIJ	40% 40%	35% 35%	29% 29%	37% 37%	28% 28%	-	-	-	100% 100%	35% 35%	18% 18%	27% 27%	49% 49%	13% 13%	27% 27%	36% 36%	61% 61%
SIGMA	1098	230	276	278	314	530	568	116	314	311	357	697	131	178	92	306	303	247	241
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 28

MARITAL: Marital Status

	EDUCATION																		
	AGE				GENDER			HS				RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His-panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
Married	512 47%BgM NP	40 18%	150 54%AB	150 54%AB	173 55%AB	268 50%g	245 43%	33 29%	126 40%	154 50%i	199 56%AI	377 54%AMN	31 24%	61 34%	44 47%M	66 22%	131 43%P	150 61%APQ	165 68%APQ
Widowed	47 4%bCDF KR	-	2 1%	2 1%	43 14%ABCD	11 2%	37 6%AF	5 5%	26 8%AjK	10 3%	6 2%	35 5%	8 6%	4 2%	* 1%	22 7%aRs	19 6%Rs	2 1%	5 2%
Divorced	122 11%BcFk S	1 *	21 8%B	45 16%ABC	54 17%ABC	40 8%	82 14%AF	8 7%	47 15%k	37 12%	30 8%	85 12%	18 14%	12 7%	6 7%	47 15%aS	38 13%S	24 10%	13 5%
Separated	18 2%e	1 *	7 2%	9 3%e	2 1%	13 2%	5 1%	1 1%	10 3%	3 1%	3 1%	8 1%	5 4%	5 3%	1 1%	10 3%rS	8 3%S	1 *	-
Never married	301 27%DEL rS	142 62%ACD E	75 27%de	53 19%E	31 10%	160 30%	141 25%	48 41%	77 25%	79 26%	97 27%	149 21%	62 47%ALn	57 32%l	33 36%L	119 39%AQR S	84 28%	50 20%	47 20%
Living with partner	97 9%EKL S	46 20%ACD E	20 7%	20 7%	11 4%	39 7%	58 10%	20 17%	28 9%	27 9%	22 6%	43 6%	8 6%	38 21%ALM	9 9%	42 14%AqS	23 8%	21 8%	12 5%
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Omnibus October 2018 - 7783
WEIGHTED DATA - C&C

Table 29

EMPLOY: Current Employment Status

	EDUCATION																			
	AGE					GENDER		EDUCATION					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235	
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241	
Working - as a paid employee	529 48%E GIP	142 62% AE	184 67% ADE	146 53% E	57 18%	288 54% AG	242 43%	38 33%	109 35%	168 54% AI	214 60% AI	322 46%	61 47%	87 49%	59 64% AL	101 33%	140 46% P	141 57% APq	147 61% APQ	
Working - self- employed	110 10% be	9 4%	31 11% b	47 17% ABE	22 7%	55 10%	55 10%	3 3%	30 9%	33 11%	44 12%	68 10%	15 12%	14 8%	13 14%	24 8%	25 8%	22 9%	39 16% APQr	
Not working - on temporary layoff from a job	7 1%	2 1%	1 *	4 1%	- -	3 1%	3 1%	- -	5 1%	2 1%	- -	6 1%	- -	* *	1 1%	2 1%	4 1%	- -	1 *	
Not working - looking for work	74 7% EKL S	43 19% ACDE	15 6% E	15 6% E	* *	40 8%	34 6%	25 22%	17 6%	21 7% K	11 3%	29 4%	15 12% L	25 14% AL	5 5%	27 9% S	20 7% S	24 10% S	3 1%	
Not working - retired	220 20% BCDj MNs	- -	- -	15 5% BC	205 65% ABC D	99 19%	121 21%	16 14%	83 26% aj	54 17%	66 19%	181 26% AMN O	14 10%	15 9%	10 10%	62 20%	77 25% aS	45 18%	36 15%	
Not working - disabled	71 6% JKlR S	14 6%	12 4%	27 10% ac	18 6%	29 6%	42 7%	19 16%	34 11% AJK	13 4% K	5 1%	37 5%	14 11% l	16 9%	5 5%	57 19% QRS	13 4% rS	1 *	* *	
Not working - other	87 8% EFjK o	19 8%	32 12% AE	22 8%	13 4%	15 3%	72 13% AF	14 12%	36 11% jK	19 6%	18 5%	53 8%	11 8%	21 12% o	1 1%	32 10%	24 8%	15 6%	16 7%	
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Omnibus October 2018 - 7783
WEIGHTED DATA - C&C

Table 30

INCOME: Household Income

	EDUCATION																		
	AGE				GENDER		EDUCATION					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
Less than \$5,000	31 3%ejQr S	8 4%	9 3%	10 4%	4 1%	11 2%	20 4%	6 5%	13 4%	5 2%	6 2%	21 3%	10 7%ALN	-	1 1%	31 10%AQRS	-	-	-
\$5,000 to \$9,999	34 3%FKLQ rS	14 6%	7 3%	6 2%	7 2%	8 2%	25 4%af	15 13%	9 3%K	10 3%K	* *	11 2%	5 4%	18 10%ALo	* *	34 11%AQRS	-	-	-
\$10,000 to \$14,999	58 5%cFKL QRS	14 6%	8 3%	15 5%	21 7%c	16 3%	41 7%AF	8 7%	26 8%K	20 6%K	5 1%	25 4%	18 14%ALn	9 5%	6 7%	58 19%AQRS	-	-	-
\$15,000 to \$19,999	43 4%QRS	9 4%	7 2%	10 4%	17 5%	18 3%	25 4%	10 8%	13 4%	9 3%	11 3%	26 4%	4 3%	11 6%	1 1%	43 14%AQRS	-	-	-
\$20,000 to \$24,999	67 6%KQRS	17 7%	11 4%	17 6%	21 7%	39 7%	28 5%	10 9%	33 10%AK	18 6%K	6 2%	42 6%	8 6%	12 7%	4 4%	67 22%AQRS	-	-	-
\$25,000 to \$29,999	74 7%DKL QRS	27 12%aDe	21 8% d	9 3%	17 5%	39 7%	35 6%	9 8%	35 11%AK	19 6%k	11 3%	20 3%	29 22%ALNo	17 9%L	8 9%l	74 24%AQRS	-	-	-
\$30,000 to \$34,999	60 5%FPRS	9 4%	12 4%	17 6%	22 7%	13 2%	47 8%AF	2 2%	22 7%	20 6%	16 4%	37 5%	3 2%	20 11%almo	* *	-	60 20%APRS	-	-
\$35,000 to \$39,999	42 4%PRS	9 4%	10 4%	12 4%	11 4%	20 4%	23 4%	1 1%	18 6%	15 5%	9 3%	25 4%	4 3%	5 3%	8 9%	-	42 14%APRS	-	-
\$40,000 to \$49,999	96 9%PRS	27 12%	19 7%	24 9%	25 8%	47 9%	49 9%	10 9%	24 8%	39 12%AK	24 7%	59 8%	9 7%	19 11%	10 11%	-	96 32%APRS	-	-
\$50,000 to \$59,999	105 10%dnPR S	14 6%	40 15%AbD	17 6%	34 11%	50 9%	55 10%	3 2%	37 12%	32 10%	34 10%	78 11%an	12 9%	6 3%	9 9%	-	105 35%APRS	-	-
\$60,000 to \$74,999	120 11%giP QS	34 15%	33 12%	25 9%	28 9%	70 13%	50 9%	27 23%	21 7%	29 9%	43 12%	74 11%	12 10%	24 13%	9 10%	-	-	120 48%APQS	-
\$75,000 to \$84,999	53 5%JPQS	12 5%	9 3%	18 6%	14 4%	20 4%	33 6%	9 8%	12 4%	9 3%	24 7%J	34 5%	4 3%	15 8%o	-	-	-	53 22%APQS	-
\$85,000 to \$99,999	74 7%bPQS	4 2%	19 7%b	21 8%b	29 9%aB	39 7%	35 6%	4 4%	23 7%	25 8%	22 6%	58 8%A	6 4%	5 3%	5 5%	-	-	74 30%APQS	-

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 30

INCOME: Household Income

	EDUCATION																		
	AGE				GENDER		EDUCATION					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
\$100,000 to \$124,999	87	12	28	17	31	55	33	-	14	23	51	62	5	7	14	-	-	-	87
	8% R	5% iPQR	10% 5%	6% 6%	10% 3%	10% 5%	6% 4%	-	4% 1%	7% 5%I	14% 7%AI	9% 5%am	4% -	4% 3%	15% 4%	-	-	-	36% APQR
\$125,000 to \$149,999	44	6	11	16	11	24	20	-	3	15	26	35	-	6	3	-	-	-	44
	4% R	3% iPQR	4% 3%	6% 6%	3% 3%	5% 5%	4% 4%	-	1% 1%	5% I	7% AI	5% am	-	3% 3%	4% 4%	-	-	-	18% APQR
\$150,000 to \$174,999	47	7	12	18	10	25	22	-	10	11	25	39	1	3	4	-	-	-	47
	4% R	3% PQR	5% 3%	6% 6%	3% 3%	5% 5%	4% 4%	-	3% 3%	4% 4%	7% Aj	6% A	1% 1%	1% 1%	4% 4%	-	-	-	19% APQR
\$175,000 to \$199,999	21	2	9	7	4	15	7	-	1	4	16	18	*	1	2	-	-	-	21
	2% q	1% 1%	3% 3%	2% 2%	1% 1%	3% 3%	1% 1%	-	* *	1% 1%	4% AIJ	3% a	* *	* *	2% 2%	-	-	-	9% APQR
\$200,000 or more	41	4	10	18	10	22	20	3	-	10	28	30	-	3	8	-	-	-	41
	4% IPQR	2% 2%	4% 4%	7% 7%A	3% 3%	4% 4%	3% 3%	3% 3%	-	3% 3%I	8% AIJ	4% m	-	2% 2%	9% Mn	-	-	-	17% APQR
SIGMA	1098	230	276	278	314	530	568	116	314	311	357	697	131	178	92	306	303	247	241
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 31

REGION4: 4-level region

	EDUCATION																			
	AGE				GENDER			EDUCATION					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235	
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241	
Northeast	195	42	58	52	43	100	95	17	57	37	85	150	13	18	14	37	53	46	59	
	18%eJm nP	18%	21%e	19%	14%	19%	17%	15%	18%	12%	24%A J	22%AMN	10%	10%	15%	12%	17%	19%	24%AP	
Midwest	228	46	44	49	88	107	121	30	82	59	57	174	21	26	8	74	56	61	37	
	21%cKo s	20%	16%	18%	28%ACD	20%	21%	26%	26%K	19%	16%	25%AnO	16%	14%	9%	24% s	18%	25% s	15%	
South	414	97	99	108	110	201	214	41	112	131	130	226	86	71	31	123	120	90	81	
	38%L	42%	36%	39%	35%	38%	38%	36%	36%	42%A	36%	32%	66%ALN O	40%	34%	40%	40%	37%	34%	
West	260	45	74	68	73	122	138	28	64	84	85	146	11	64	39	71	75	49	65	
	24%LM	20%	27%	24%	23%	23%	24%	24%	20%	27%A	24%	21%M	8%	36%ALM	43%ALM	23%	25%	20%	27%	
SIGMA	1098	230	276	278	314	530	568	116	314	311	357	697	131	178	92	306	303	247	241	
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 32

REGION9: 9-level region

	EDUCATION																		
	AGE				GENDER			HS					RACE/ETHNICITY				HH INCOME		
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
New England	52 5%ejm	15 6%	14 5%	15 5%	9 3%	23 4%	29 5%	4 3%	16 5%	10 3%	22 6%	42 6%Am	* *	5 3%	5 6%m	14 4%	13 4%	18 7%	8 3%
Mid-Atlantic	143 13%JP	28 12%	44 16%	37 13%	34 11%	76 14%	67 12%	13 11%	40 13%	27 9%	63 18%AJ	109 16%An	13 10%	13 7%	8 9%	24 8%	40 13%	29 12%	51 21%APqr
East North Central	158 14%cKn s	25 11%	29 11%	36 13%	68 22%AbC D	65 12%	93 16%	18 16%	62 20%aK	40 13%	38 11%	126 18%AmNO	12 9%	14 8%	5 6%	48 16%	37 12%	48 19%aS	24 10%
West North Central	71 6%	21 9%	16 6%	13 5%	21 7%	42 8%	29 5%	12 10%	20 7%	18 6%	20 6%	47 7%	8 6%	12 7%	3 3%	26 8%	19 6%	13 5%	13 5%
South Atlantic	221 20%L	52 23%	51 18%	60 22%	57 18%	100 19%	121 21%	28 25%	58 18%	63 20%	71 20%	118 17%	53 41%ALN O	37 20%	13 14%	65 21%	50 16%	65 26%aQs	41 17%
East South Central	64 6%GR	24 10%e	16 6%	12 4%	12 4%	44 8%AG	20 4%	3 3%	25 8%	17 6%	18 5%	49 7%ano	12 9%nO	3 2%	- -	29 10%AR	22 7%R	2 1%	11 4%r
West South Central	130 12%L	21 9%	32 12%	36 13%	41 13%	57 11%	73 13%	10 8%	29 9%	51 16%AI	40 11%	59 8%	21 16%l	31 18%L	18 20%L	29 10%	48 16%a	23 9%	30 12%
Mountain	81 7%Km	22 9%	21 8%	19 7%	19 6%	38 7%	43 8%	12 11%	25 8%	26 9%k	17 5%	50 7%	2 2%	26 15%ALMo	2 3%	25 8%	29 10%	12 5%	14 6%
Pacific	180 16%LM	23 10%	54 19%b	49 18%	54 17%	84 16%	95 17%	15 13%	38 12%	57 18%	68 19%	97 14%	9 7%	37 21%M	37 40%ALM N	46 15%	45 15%	37 15%	50 21%a
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 33

METRO: Metropolitan area flag

	EDUCATION																		
	AGE				GENDER			RACE/ETHNICITY					HH INCOME						
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
Metro Area	948	200	244	239	265	458	490	92	256	268	332	589	120	157	82	260	246	220	221
	86%lQ	87%	89%	86%	84%	86%	86%	79%	82%	86%	93%AIJ	85%	92%	88%	89%	85%	81%	89%q	92%ApQ
Non-Metro Area	150	30	31	39	49	72	78	24	58	43	25	107	11	22	10	46	58	27	20
	14%KS	13%	11%	14%	16%	14%	14%	21%	18%K	14%K	7%	15%a	8%	12%	11%	15%S	19%ArS	11%	8%
SIGMA	1098	230	276	278	314	530	568	116	314	311	357	697	131	178	92	306	303	247	241
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 34

INTERNET: HH internet access via dial-up, DSL, or cable broadband at home

	EDUCATION																			
	AGE				GENDER			EDUCATION					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235	
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241	
Internet Household	922 84%GIM Pq	193 84%	234 85%	231 83%	263 84%	467 88%AG	455 80%	84 72%	234 74%	275 88%AI	330 92%AI	614 88%AMn	90 69%	141 79%	78 84%m	223 73%	240 79%	226 91%APQ	233 97%APQr	
Non-internet household	176 16%FJK LRS	38 16%	41 15%	46 17%	51 16%	63 12%	113 20%AF	32 28%	81 26%AJK	36 12%	27 8%	83 12%	41 31%ALo	38 21%l	15 16%	83 27%ARS	63 21%aRS	22 9% s	8 3%	
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 35

HOUSING: Home Ownership

	EDUCATION																			
	AGE				GENDER			EDUCATION					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235	
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241	
Owned or being bought by you or someone in your household	728 66%BCG MNP	107 47%	156 56%	192 69%BC	273 87%ABC D	384 72%AG	344 61%	55 48%	212 68%	207 67%	254 71%a	544 78%AMN O	49 38%	80 45%	55 60%M	120 39%	206 68%P	190 77%AP	212 88%APQR	
Rented for cash	346 32%EFK LRS	116 50%ADE	110 40%AdE	83 30%E	36 12%	134 25%	212 37%AF	60 52%	96 30%	99 32%	91 25%	145 21%	80 61%ALO	88 49%AL	33 36%L	171 56%AQR S	92 30%S	54 22% _s	29 12%	
Occupied without payment of cash rent	24 2%dLs	7 3%	10 3%d	2 1%	5 2%	12 2%	12 2%	* *	6 2%	5 2%	12 3%	8 1%	1 1%	11 6%AL	3 4%	15 5%AS	6 2%	3 1%	- -	
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%	

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Omnibus October 2018 - 7783
WEIGHTED DATA - C&C

Table 36

HOME_TYPE: Type of building of panelists' residence

	EDUCATION																		
	AGE				GENDER			HS				RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
A one-family house detached from any other house	691 63% oP	117 51%	168 61%	171 62%	234 75% ABC D	350 66%	341 60%	55 47%	207 66%	209 67% A	220 62%	500 72% AMN O	49 37%	95 53% m	46 50%	127 41%	204 67% P	161 65% P	199 82% APQR
A one-family house attached to one or more houses	105 10% JL	29 12%	31 11%	23 8%	23 7%	52 10%	53 9%	16 14%	23 7%	22 7%	44 12% aj	49 7%	19 15% L	18 10%	20 21% AL	23 7%	36 12%	31 12%	16 7%
A building with 2 or more apartments	258 23% EJL S	85 37% AcD E	67 24% E	63 23% E	43 14%	114 22%	143 25%	37 32%	71 23%	58 19%	92 26% j	120 17%	57 44% ALO	59 33% aL	22 24%	129 42% AQR S	57 19% S	48 19% S	24 10%
A mobile home or trailer	40 4% bKS	* *	10 3% b	16 6% B	14 4% b	12 2%	28 5%	6 5%	12 4% K	21 7% AK	* *	24 3%	5 4%	6 4%	4 5%	24 8% AQR S	6 2%	7 3%	3 1%
Boat, RV, van, etc	4 *	* *	* *	4 1% a	- -	2 *	2 *	2 2%	2 1%	* *	* *	4 1%	* *	- -	- -	4 1%	- -	- -	* *
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 37

PHONESERVICE: Telephone service for the household

	EDUCATION																		
	AGE					GENDER		EDUCATION				RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
Landline telephone only	68 6% BCJK S	2 1%	5 2%	23 8% BC	37 12% ABC	35 7%	33 6%	5 4%	35 11% AJK	13 4%	15 4%	48 7%	4 3%	12 7%	5 5%	30 10% aS	17 6% S	18 7% S	3 1%
Have a landline, but mostly use cellphone	280 25% EPq	63 27%	79 29% e	73 26%	64 20%	150 28%	130 23%	22 19%	69 22%	82 26%	106 30% a	192 28% a	28 21%	33 18%	27 29%	49 16%	62 20%	73 30% Pq	95 39% APQ
Have cellphone, but mostly use landline	203 18% BCDJ N	17 7%	21 8%	31 11%	134 43% ABC D	85 16%	118 21%	17 15%	81 26% AJK	47 15%	58 16%	157 22% ANO	22 17%	17 9%	8 9%	47 15%	62 21%	47 19%	46 19%
Cellphone only	534 49% EIL S	144 63% AE	164 59% AE	149 54% E	77 25%	251 47%	283 50%	71 61%	126 40%	164 53% AI	174 49%	290 42%	78 59% aL	117 66% AL	50 54%	175 57% ARS	157 52% S	109 44%	94 39%
No telephone service	13 1%	5 2%	6 2%	1 *	2 1%	8 2%	4 1%	* *	3 1%	6 2% a	4 1%	10 1%	- -	* *	2 2%	5 2%	5 2%	- -	3 1%
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 38

Household size (including children)

	EDUCATION																			
	AGE				GENDER			EDUCATION					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235	
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241	
1	191 17%BCJn RS	11 5%	30 11%	59 21%BC	92 29%ABC d	89 17%	102 18%	17 15%	62 20%	44 14%	68 19%	122 18%	30 23%N	17 10%	22 23%n	86 28%ARS	67 22%aRS	20 8%	17 7%	
2	355 32%CGM OP	62 27% C	40 15%	95 34% C	158 50%ABC D	191 36% g	164 29%	24 21%	96 31%	109 35%	125 35%	264 38% AMO	23 18%	51 28%	17 19%	75 24%	93 31%	113 46% APQ S	74 31%	
3	200 18%ELq E	66 29% ACd	46 17%	49 18%	39 12%	101 19%	99 17%	29 25%	59 19%	57 18%	55 15%	111 16%	27 21%	37 20%	26 28% al	67 22% q	42 14%	40 16%	51 21% q	
4	120 11%E	23 10%	45 16% AE	35 13% E	16 5%	47 9%	73 13%	13 11%	33 11%	29 9%	45 13%	77 11%	16 12%	17 10%	10 11%	23 8%	27 9%	30 12%	39 16% APq	
5	97 9%DE	37 16% ADE	45 16% ADE	11 4%	5 2%	47 9%	50 9%	13 11%	19 6%	32 10%	34 9%	54 8%	11 8%	23 13%	10 10%	22 7%	33 11%	17 7%	26 11%	
6	134 12% EKL	31 13% E	70 25% ABD	29 10% E	5 2%	55 10%	80 14%	19 16%	44 14%	40 13%	31 9%	69 10%	23 18% l	34 19% aL	8 9%	32 10%	41 14%	27 11%	34 14%	
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 39

Number of HH members age 0-1

	EDUCATION																			
	AGE				GENDER			EDUCATION					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235	
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241	
0	1060	214	258	274	314	509	551	114	304	299	343	675	125	171	89	296	289	239	235	
	97% C	93%	94%	99% aB C	100% ABC	96%	97%	98%	97%	96%	96%	97%	96%	96%	96%	97%	95%	97%	97%	
1	37	17	17	3	-	21	15	2	10	10	15	22	5	6	3	9	14	7	6	
	3% dE	7% aDE	6% ADE	1%	-	4%	3%	2%	3%	3%	4%	3%	4%	4%	4%	3%	5%	3%	3%	
2	1	-	1	-	-	-	1	-	*	1	-	-	*	1	-	1	-	*	-	
	*	-	*	-	-	-	*	-	*	*	-	-	*	*	-	*	-	*	-	
SIGMA	1098	230	276	278	314	530	568	116	314	311	357	697	131	178	92	306	303	247	241	
	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 40

Number of HH members age 2-5

	EDUCATION																		
	AGE				GENDER		HS					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
0	977 89%BC	185 80%	210 76%	268 96%AB C	314 100%ABC D	478 90%	500 88%	93 80%	286 91%	278 89%	321 90%	626 90%	112 86%	156 87%	84 91%	273 89%	268 88%	219 89%	217 90%
1	71 6%DEq	25 11%DE	41 15%ADE	5 2%e	-	30 6%	41 7%	19 16%	12 4%	17 5%	24 7%	44 6%	10 8%	13 7%	5 5%	22 7%	11 4%	20 8%	19 8%
2	38 3%de	15 7%de	19 7%ADE	4 1%	-	20 4%	17 3%	1 1%	14 4%	11 4%	11 3%	24 3%	7 5%	5 3%	2 2%	9 3%	19 6%Ars	4 2%	5 2%
3	6 1%L	5 2%	1 *	-	-	2 *	4 1%	2 2%	-	3 1%	1 *	* *	2 1%1	2 1%	2 2%L	2 1%	2 1%	1 *	* *
4	6 1%	* *	4 2%ae	1 *	-	* *	6 1%	1 1%	2 1%	2 1%	1 *	3 *	-	3 2%	* *	1 *	3 1%	2 1%	-
6	* *	- -	* *	- -	- -	- -	* *	- -	- -	* *	- -	* *	- -	- -	- -	* *	- -	- -	- -
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 41

Number of HH members age 6-12

	EDUCATION																			
	AGE				GENDER			HS					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+	
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)		
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235	
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241	
0	922 84%CG	202 88%C	162 59%	250 90%AC	308 98%ABC	464 88%AG	457 81%	96 83%	274 87%	256 82%	296 83%	597 86%a	102 78%	143 80%	79 86%	256 84%	256 84%	213 86%	197 82%	
1	84 8%dE	20 9%E	46 17%ADE	13 5%	5 2%	33 6%	51 9%	11 9%	16 5%	24 8%	34 9%	50 7%	16 12%	14 8%	5 5%	30 10%	16 5%	24 10%	14 6%	
2	63 6%E	7 3%	45 16%ABDE	9 3%e	2 1%	24 5%	39 7%	8 7%	14 4%	23 7%a	19 5%	40 6%	7 5%	13 7%	3 3%	9 3%	26 8%pr	7 3%	21 9%Pr	
3	14 1%JL	1 *	9 3%AE	4 1%	- -	4 1%	10 2%	2 1%	6 2%	1 *	5 1%	3 *	3 2%l	2 1%	5 6%AL	8 3%q	- -	1 *	5 2%q	
4	11 1%L	- -	11 4%AbDE	- -	- -	3 1%	8 1%	- -	2 1%	5 2%a	4 1%	4 1%	2 1%	6 3%aL	- -	2 1%	4 1%	* *	5 2%	
5	2 *	- -	* *	2 1%	- -	2 *	* *	- -	2 *	* *	- -	2 *	- -	- -	- -	- -	2 1%	* *	- -	
6	2 *	- -	2 1%	- -	- -	- -	2 *	- -	1 *	1 *	- -	1 *	* *	* *	- -	* *	* *	1 1%	- -	
8	* *	- -	* *	- -	- -	- -	* *	- -	- -	* *	- -	- -	- -	- -	* *	* *	- -	- -	- -	
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%	

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Table 42

Number of HH members age 13-17

	EDUCATION																		
	AGE				GENDER		EDUCATION					RACE/ETHNICITY				HH INCOME			
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
0	954 87% Cdg n	194 84%	222 81%	229 82%	309 98% ABC D	476 90% ag	478 84%	95 82%	277 88%	268 86%	315 88%	617 89% a	108 83%	142 79%	88 95% m	266 87%	262 86%	213 86%	213 88%
1	84 8% EF	19 8% E	25 9% E	37 13% AE	4 1%	27 5%	57 10% AF	14 12%	22 7%	20 6%	28 8%	47 7%	13 10%	22 13% o	2 2%	24 8%	24 8%	22 9%	14 6%
2	45 4% E	14 6% E	21 8% AdE	8 3% e	1 *	21 4%	24 4%	6 5%	9 3%	19 6% Ak	11 3%	24 3%	4 3%	14 8%	2 2%	11 4%	16 5%	7 3%	10 4%
3	13 1%	4 2%	6 2% E	3 1%	- -	6 1%	7 1%	2 1%	7 2%	2 1%	3 1%	8 1%	5 4% a	* *	* *	4 1%	1 *	4 2%	3 1%
4	3 *	- -	2 1%	1 *	- -	- -	3 *	- -	- -	2 *	1 *	1 *	1 *	- -	1 1%	1 *	- -	* *	1 *
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%

Proportions/Means: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing

Omnibus October 2018 - 7783
WEIGHTED DATA - C&C

Table 43

Number of HH members age 18+

	EDUCATION																		
	AGE				GENDER			RACE/ETHNICITY					HH INCOME						
	TOTAL	18-29	30-44	45-59	60+	Male	Female	No HS Diplom	HS Grad/ Equiv	Some Collge /AA	BA+	White, NH	Black, NH	His- panic	Other/ 2+,NH	<\$30K	\$30K- <\$60K	\$60K- <\$100K	\$100K+
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)	(I)	(J)	(K)	(L)	(M)	(N)	(O)	(P)	(Q)	(R)	(S)	
Unweighted Base:	1098	141	325	266	366	564	534	56	184	511	347	753	124	139	82	292	319	252	235
Base: Total Respondents	1098	230*	276	278	314	530	568	116**	314	311	357	697	131*	178*	92*	306	303	247	241
1	248 23%BLr S	25 11%	55 20%b	70 25%B	98 31%ABC	111 21%	136 24%	32 28%	74 24%	63 20%	79 22%	140 20%	44 34%ALn	33 19%	30 32%l	104 34%ARS	82 27%RS	40 16% s	22 9%
2	517 47%MoP	101 44%	133 48%	123 44%	159 51%	262 49%	254 45%	41 35%	134 43%	149 48%	193 54%Ai	366 53%AMO	41 31%	79 44%	30 33%	112 37%	135 44%	150 61%APQ s	120 50%P s
3	187 17%Er E	62 27%Ac d	42 15%	43 16%	40 13%	82 15%	104 18%	21 18%	48 15%	60 19%	58 16%	114 16%	26 20%	27 15%	20 22%	48 16%	48 16%	29 12%	61 25%ApQR
4	76 7%EJk	19 8%	25 9%E	21 8%e	11 3%	32 6%	45 8%	17 14%	28 9%	16 5%	16 4%	41 6%	6 4%	21 12%l	9 9%	24 8%	17 6%	17 7%	18 8%
5	34 3%CeLr	16 7%aCE	3 1%	11 4% c	4 1%	16 3%	18 3%	2 2%	13 4%	12 4%	7 2%	14 2%	9 7%aL	9 5%	2 2%	13 4% r	11 4% r	1 *	9 4% r
6	19 2%eG	6 3%e	9 3%E	4 1%	- -	17 3%AG	2 *	3 3%	6 2%	7 2%	3 1%	12 2%	2 1%	4 2%	2 2%	4 1%	5 2%	6 2%	5 2%
7	7 1%	1 *	- -	4 1%	2 1%	4 1%	3 *	- -	2 1%	3 1%	1 *	3 *	- -	4 2%	- -	- -	2 1%	3 1%	2 1%
8	3 *	- -	3 1%A	- -	- -	3 1%	- -	- -	3 1%	- -	- -	- -	3 2%AL	- -	- -	- -	3 1% a	- -	- -
9	3 *	- -	1 1%	- -	1 *	1 *	1 *	- -	1 *	1 *	- -	1 *	- -	1 1%	- -	1 *	* *	1 1%	- -
10	4 *	- -	4 2%Ae	- -	- -	- -	4 1%	- -	4 1%	- -	- -	4 1%	- -	- -	- -	- -	- -	- -	4 2%Apq
11	* *	* *	- -	- -	- -	* *	- -	- -	- -	* *	- -	* *	- -	- -	- -	* *	- -	- -	- -
12	* *	- -	- -	* *	- -	* *	- -	- -	- -	* *	- -	* *	- -	- -	- -	- -	- -	- -	* *
SIGMA	1098 100%	230 100%	276 100%	278 100%	314 100%	530 100%	568 100%	116 100%	314 100%	311 100%	357 100%	697 100%	131 100%	178 100%	92 100%	306 100%	303 100%	247 100%	241 100%

Proportions/Mean: Columns Tested (5%, 10% risk level) - A/B/C/D/E - A/F/G - A/H/I/J/K - A/L/M/N/O - A/P/Q/R/S
Overlap formulae used. * small base; ** very small base (under 30) ineligible for sig testing